

150 Mineral Spring Drive Dover, New Jersey 07801 Phone (201) 361-3600

# LETTER OF TRANSMITTAL

			ne (201) 361-3600		Date:	//30/97	Job No.: 94039.00 T1
		FAZ	X (201) 361-3800		Attention:	Joseph J. Nowak	
					Re:	Hexcel Corporation	
Го:	NJDEP-E	BEECRA				Lodi Borough, Bergen C	ounty, NJ
•	401 East	State Stree	et			ISRA Case No. 86009	
	Trenton,	NJ 08625		_			
				- -			
WE	ENCLOS	SE THE F	OLLOWING:	VIA:	00	Courier /Hand Delivered First Class Mail	Overnight Express
	COPIES	DATE			DE	SCRIPTION	
	3	7/30/97	Progress Report for the second qu	arter of	f 1997		
	3	July 97	Summary of Historical Ground W	ater Da	ıta		
	3	July 97	Summary of Historical Soil Data				
						72 -17	ENT
						11.	Wie.
						-5° 78	00615
						المناس الله	
						3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	.18gr.
						11 3	
						20	
tem	arks:						
				_			
COP	Y TO:	A. Willian Edward A	m Nosìl A. Hogan, Esq.	_	SIGNED		d. Lutt. jorie A. Piette

If enclosures are not as noted, kindly notify us at once.





July 29, 1997

150 Mineral Spring Drive Dover, New Jersey 07801 201 361-3600 FAX 361-3800

Joseph J. Nowak
New Jersey Department of Environmental Protection
Bureau of Environmental Evaluation and Cleanup Responsibility Assessment
401 East State Street, CN 432
Trenton, NJ 08625

SUBJ: Hexcel Corporation
Lodi Borough, Bergen County, New Jersey
ISRA Case No. 86009
GEO Project No. 94039

Dear Mr. Nowak:

On behalf of Hexcel Corporation (Hexcel), the following is the progress report of activities carried out during April, May and June of 1997. This quarterly report is prepared in accordance with the Industrial Site Recovery Act (ISRA) requirements for the former Hexcel facility in Lodi, New Jersey.

The following topics are discussed in this progress report:

- 1. Regional Context
  - a) Soil Evaluation
  - b) Ground Water Evaluation
  - c) Off-Site Investigation
- 2. Ground Water/DNAPL/LNAPL Monitoring
  - a) Quarterly Monitoring
  - b) Monthly Monitoring
- 3. Product Recovery Program
  - a) DNAPL Recovery
  - b) LNAPL Recovery
- 4. Ground Water Treatment System
- 5. Sediment Sampling
- 6. Waste Disposal Documentation

#### 7. Schedule and Cost Estimates

#### 1. Regional Context

Regional information is being developed, by others, that will affect Hexcel's remedial approach. In regard to future use of the property, we understand that the Town of Lodi has been conferring with the NJDEP and that both parties are in agreement that a Brownfields redevelopment of this area is desirable and likely. Also, the neighboring Napp Technologies, Inc. (Napp) facility is undergoing an ISRA investigation; the results of this investigation are not yet available.

Hexcel foresees that remediation of its property needs to be compatible with the actions of others in the area and needs to support a regional solution for the whole area that will allow redevelopment. Hexcel needs to develop its own long-term remedial program within the context of the region's environmental and development issues and plans. Until the additional information has been developed on historical data, neighboring cleanups, and future site usage, Hexcel will have insufficient information to develop its long-term remedial strategy. However, during this interim time, Hexcel will continue its existing monitoring program, has submitted reports of its own historical soil and ground water data, and will review regional data and plans as they become available.

#### 1a. Soil Evaluation

While awaiting regional information, Hexcel has organized its historical soil data in preparation for evaluation of the data within the context of regional concerns. On July 30, 1997, Hexcel sent to the NJDEP a report that tabulates, organizes, and summarizes the results of historical soil data collected at the site.

#### 1b. Ground Water Evaluation

On July 30, 1997, Hexcel also submitted to the NJDEP a report organizing and summarizing its ground water data.

#### 1c. Off-Site Investigation

Hexcel is aware that Napp has installed and sampled ground water monitor wells on the Napp property. We received a copy of the Napp report in mid-July and Hexcel is reviewing the Napp data to evaluate whether there is a need for additional monitoring by Hexcel on the Napp property as the NJDEP has requested. Hexcel is also reviewing additional information from Napp's reporting to the NJDEP before evaluating the need for addressing the off-site soil testing referenced in the NJDEP's March 12, 1997 letter.

We have received permission to access the U.S. Army Corps of Engineers (Army Corps) monitor well MW-08 which is located across the Saddle River from the Hexcel



site. We have also received permission in writing from the property owner. The Army Corps gave us instructions on how to access the well in a letter dated July 14, 1997. In accordance with the access agreement, we are coordinating with the property owner to schedule access to the well. We will be able to take measurements and survey the well soon.

#### 2. Ground Water/DNAPL/LNAPL Monitoring

This section includes the results of quarterly monitoring performed in April 1997 and monthly monitoring performed in May and June 1997. Modifications to the NJDEP-approved "Groundwater/DNAPL/LNAPL Monitoring Plan" prepared by Killam Associates were presented in our progress report dated October 24, 1994. The modifications were approved by the NJDEP in its June 12, 1995 letter. Sections 2a and 2b provide details for quarterly and monthly monitoring, respectively.

## 2a. Quarterly Monitoring

Hexcel conducted quarterly ground water elevation, DNAPL and LNAPL monitoring on April 28, 1997 in accordance with the monitoring plan. Appendix A contains figures and tables developed from the quarterly monitoring. These are discussed below. Results of the quarterly monitoring are tabulated in Table 1. Figures 1 and 2 illustrate shallow and deep ground water elevation contours respectively. Ground water elevation data for shallow wells installed by Napp also have been included in generating the shallow ground water contours. Contour Map Reporting Forms are included for each of the contour maps. Table 2 contains a summary of well construction data to accompany the Contour Map Reporting Form for Figure 1.

#### 2b. Monthly Monitoring

In addition to the quarterly monitoring conducted in April, Hexcel conducted monthly DNAPL and LNAPL monitoring on May 15 and June 18, in accordance with the monitoring plan and modifications approved by the NJDEP in its June 12, 1995 letter. There were no modifications made to the monthly monitoring plan in the second quarter of 1997.

Results for May and June monthly monitoring are provided in Tables 3 and 4 located in Appendix B.

Hexcel will continue to modify the monthly monitoring by the addition or deletion of wells in accordance with the approved plan.



# 3. Product Recovery Program

1

This section includes results for the temporary product recovery program currently being implemented at the site. The product recovery program, performed on a weekly basis, was initiated on October 20, 1994, and consists of recovering product from affected wells. During the early stages of the program, bailers were used to recover product. Presently, most wells have been equipped with tubing that can be connected to peristaltic pumps that help recover the product. After one month, the program's frequency was reduced to twice a month due to a reduction in the quantity of product recovered. Product recovery continued at the rate of at least twice a month through the week of June 19, 1995. In accordance with the NJDEP's June 12, 1995 letter, weekly product recovery was resumed the week of June 26, 1995.

In its May 23, 1996 letter, the NJDEP approved modifications to the weekly product recovery program for LNAPL and DNAPL. The modifications proposed by Hexcel changed the criteria for inclusion of wells in the weekly product recovery program. The modifications were communicated to the NJDEP in a letter dated September 21, 1995 and also in the October 1995 progress report. According to the modifications, any well which has no measurable recovery for three consecutive weekly recovery rounds will be moved to monthly monitoring and recovery. For the purposes of product collection, quantities greater than 0.1 gallon (approximately 1 cup) are considered to be measurable. Based on our experience, if the product interface meter does not signal the presence of product, then it is not possible to pump a significant amount of DNAPL from the well, even when DNAPL is observed on the probe. Therefore, DNAPL recovery is usually attempted only when there is a signal from the product interface meter indicating the presence of product.

#### 3a. DNAPL Recovery

During the second quarter of 1997, monitoring wells MW-6 and PB-2 were monitored for the presence of product on a weekly basis. Product recovery was attempted every time the product interface probe indicated measurable product. Approximately 0.6 gallons of DNAPL was recovered from MW-6 during the second quarter of 1997. DNAPL recovery during this quarter is summarized in Table 5, located in Appendix C.

#### 3b. LNAPL Recovery

In accordance with the approved modifications to the product recovery program, weekly product recovery for LNAPL was not performed during the second quarter of 1997 because recoverable quantities of LNAPL have not been indicated in any of the wells since September 1996. LNAPL recovery is summarized in Table 6, located in Appendix C.



# 4. Ground Water Treatment System

Basement seepage water continues to be treated on-site and discharged to the Passaic Valley Sewerage Commissioners (PVSC) sewer line.

#### 5. Sediment Sampling

Hexcel has communicated with the NJDEP's Environmental Toxicology and Risk Assessment (ETRA) group regarding the sediment sampling protocol. Hexcel is prepared to sample, however, local depositional areas are currently not accessible due to high water levels in the Saddle River. Samples will be collected in the Fall, when it is typically drier, or sooner if the water level drops sufficiently before then. We have communicated with the ETRA group and they are in agreement with the above sample strategy.

#### 6. Waste Disposal Documentation

There was no disposal from the site in the second quarter of 1997 and, therefore, there is no disposal documentation for the months of April, May and June 1997.

#### 7. Schedule and Cost Estimates

Table 7 located in Appendix D presents an updated estimate of the schedule of remaining remedial activities. There has been no change to date in the estimate of cleanup costs.

We will continue to submit quarterly progress reports according to the schedule. Please call us if you have any questions regarding the above.

Sincerely,

GEO ENGINEERING, INC.

Marjorie A. Piette Project Manager

MAP/avm Enclosures

cc A. William Nosil Edward Hogan, Esq.



# Attachment A

**Ground Water Samples** 

Table A1: Tested Parameters for the Ground Water Samples

Well ID	Sample ID	Company	Date (m/yy)	AE	ВИ	VOA	Metals	Pest/PCBs	Phenol	Cyanide	ТРН
MW-1	536A-MW01-GW01	Environ	7/88	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	536A-MW01-GW01DL	Environ	7/88			Yes		ļ	,		
	536A-MW01-GW02	Environ	7/88			Yes					
	E320255	Killam	7/93			Yes					
	4576A-MW01-166594	Environ	5/95	Yes		Yes			Yes		
MW-2	536A-MW02-GW01	Environ	8/88			Yes	Yes	Yes			Yes
	536A-MW02-GW01DL	Environ	8/88			Yes					
	536A-MW02-GW02	Environ	8/88				Yes	Yes			
	E320256	Killam	7/93			Yes					
	4576A-MW02-166601	Environ	5/95	Yes		Yes			Yes		
MW-3	536A-MW03-GW01	Environ	8/88			Yes	Yes	Yes			Yes
	536A-MW03-GW01RE	Environ	8/88			Yes					
	E320257	Killam	7/93			Yes					
MW-4	536A-MW04-GW01	Environ	8/88			Yes					Yes
	536A-MW04-GW01DL	Environ	8/88			Yes					
	E320258	Killam	7/93			Yes					
MW-5	536A-MW05-GW01	Environ	8/88			Yes					Yes
	E320259	Killam	7/93			Yes					
MW-6	536A-MW06-GW01	Environ	8/88	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	536A-MW06-GW01DL	Environ	8/88	Yes	Yes				Yes		
	536A-MW06-GWDP	Environ	8/88			Yes		Yes			
	E320320	Killam	7/93			Yes					
MW-7	536A-MW07-GW01	Environ	7/88	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	E320321	Killam	7/93			Yes					· ,
MW-8	536A-MW08-GW01	Environ	8/88	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	536A-MW08-GW01DL	Environ	8/88			Yes					
	536A-MW08-GW02	Environ	8/88			Yes					
I	E320322	Killam	7/93		)	Yes					
MW-9	536A-MW09-GW01	Environ	7/88	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	E320323	Killam	7/93			Yes					
MW-10	536A-MW10-GW01	Environ	8/88	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
·- <del>-</del> -	536A-MW10-GW01DL	Environ	8/88			Yes					
	E320324	Killam	7/93			Yes					
	4576A-MW10-166591	Environ	5/95			Yes					
	4576A-MW10-166889	Environ	5/95	Yes					Yes		
	1373/11/11/10 10000)	L Ziiviioii	5/75		<u> </u>		<u> </u>			) Engineer	

GEO Engineering

July 1997

File: 94039\database\gw\GWSAMPLE.XLS Sheet: GWSAMPLE

Table A1: Tested Parameters for the Ground Water Samples

Well ID	Sample ID	Company	Date (m/yy)	AE	BN	VOA	Metals	Pest/PCBs	Phenol	Cyanide	ТРН
MW-11	536A-MW11-GW01	Environ	7/88	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	E320325	Killam	7/93			Yes			ļ		
MW-12	536A-MW12-GW01	Environ	8/88	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	E320326	Killam	7/93			Yes					
MW-13	536A-MW13-GW01	Environ	7/88	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	536A-MW13-GW11	Environ	7/88	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	E320327	Killam	7/93			Yes					
MW-14	536A-MW14-GW01	Environ	8/88	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
MW-15	536A-MW15-GW01	Environ	7/88	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
MW-16	536A-MW16-GW01	Environ	8/88	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
	536A-MW16-GW02	Environ	8/88				Yes				Yes
	E320328	Killam	7/93			Yes					
	4576A-MW16-166592	Environ	5/95	Yes		Yes			Yes		
MW-17	536A-MW17-GW01	Environ	1/89			Yes					
	E320260	Killam	7/93			Yes					
MW-18	536A-MW18-GW01	Environ	8/88			Yes	Yes	Yes			
	536A-MW18-GW01DL	Environ	8/88			Yes					
	E320261	Killam	7/93		-	Yes					
	4576A-MW18-166596	Environ	5/95	Yes		Yes			Yes		
MW-19	536A-MW19-GW01	Environ	1/89		†	Yes					
MW-20	MW-20	Heritage	11/90	Yes	Yes	Yes		Yes	Yes	Yes	
	MW-20A	Heritage	11/90	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
	MW-20 Dup	Heritage	11/90			Yes					
	MW-20-S-2242	Heritage	12/90	~ <b></b>		Yes					
	E320262	Killam	7/93			Yes					*
MW-21	MW-21	Heritage	10/90	Yes	Yes	Yes		Yes	Yes		Yes
	E320263	Killam	7/93			Yes					
MW-22	E320264	Killam	7/93			Yes					
MW-23	MW-23	Heritage	11/90			Yes					Yes
	ENSRMW-2	ENSR	5/95			Yes	Yes	Yes			
	4576A-MW23-166593	Environ	5/95	Yes		Yes			Yes		
MW-24	MW-24	Heritage	11/90	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
	E320329	Killam	7/93			Yes					
	4576A-MW24-166600	Environ	5/95	Yes		Yes			Yes		

GEO Engineering

July 1997

File: 94039\database\gw\GWSAMPLE.XLS Sheet: GWSAMPLE

Table A1: Tested Parameters for the Ground Water Samples


Well ID	Sample ID	Company	Date (m/yy)	AE	BN	VOA	Metals	Pest/PCBs	Phenol	Cyanide	ТРН
MW-25	MW-25	Heritage	11/90	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
	E320330	Killam	7/93			Yes					
MW-26	MW-26	Heritage	12/90	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
MW-27	MW-27	Heritage	11/90			Yes					
MW-28	MW-28	Heritage	11/90	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
	E320331	Killam	7/93			Yes					
MW-29	ENSRMW-3	ENSR	5/95			Yes	Yes	Yes			
MW-30	ENSRMW-1	ENSR	5/95			Yes	Yes	Yes			
MW-31	E320265	Killam	7/93			Yes					
	ENSRMW-4	ENSR	5/95			Yes	Yes	Yes			
MW-32	MW32	Heritage	4/92	••	••	Yes					
MW-33	MW33	Heritage	4/92			Yes					
CW-1	CW-1	Heritage	4/92			Yes					••
	E320266	Killam	7/93			Yes					
CW-2	CW-2	Heritage	4/92			Yes					
CW-3	CW-3	Heritage	10/90	Yes	Yes	Yes		Yes	Yes		Yes
	E320247	Killam	7/93			Yes		Yes			
	E320247R	Killam	7/93					Yes			
CW-5	E320248	Killam	7/93			Yes		Yes			
	E320248R	Killam	7/93					Yes			
CW-6	4576A-CW6-166597	Environ	5/95	Yes		Yes			Yes		**
CW-7	4576A-CW7P-166595	Environ	5/95			Yes					
	4576A-CW7P-166599	Environ	5/95	`		Yes		Yes			
	4576A-CW7-166602	Environ	5/95	Yes					Yes		
CW-9	E320249	Killam	7/93			Yes		Yes			
	E320249R	Killam	7/93					Yes			
CW-10	CW10	Heritage	4/92			Yes					
	E320332	Killam	7/93			Yes					
CW-11	CW-11	Heritage	10/90	Yes	Yes	Yes		Yes	Yes		Yes
	E320250	Killam	7/93			Yes		Yes			
	E320250R	Killam	7/93					Yes			
CW-12	4576A-CW12-166604	Environ	5/95	Yes		Yes			Yes		
	4576A-CW12D-166605	Environ	5/95	Yes		Yes			Yes		
ĈW-14	E320333	Killam	7/93			Yes			<b></b>		· <b></b> ·

GEO Engineering

Table A1: Tested Parameters for the Ground Water Samples

Well ID	Sample ID	Company	Date (m/yy)	AE	BN	VOA	Metals	Pest/PCBs	Phenol	Cyanide	ТРН
CW-15	E320251	Killam	7/93	**		Yes		Yes			
	E320251R	Killam	7/93	••				Yes			
CW-19	E320252	Killam	7/93	**		Yes		Yes			
	E320252R	Killam	7/93					Yes	·		
CW-21	E320253	Killam	7/93			Yes		Yes			
	E320253R	Killam	7/93					Yes			
RW6-1	RW6-1	Heritage	11/90			Yes					
RW6-2	RW6-2	Heritage	11/90	••		Yes					
	E320334	Killam	7/93			Yes					
RW6-3	RW6-3	Heritage	11/90	••		Yes					
RW7-8	4576A-RW7-8-166603	Environ	5/95	Yes		Yes			Yes		
STREAM W-1	W-1-40315	PAS	6/85	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
STREAM W-2	W-2-40314	PAS	6/85	Yes	Yes	Yes	Yes	Yes	Yes	Yes	••

Sheet: GWSAMPLE



# Attachment B

Volatile Organic Results

#### DATA QUALIFYING NOTES FOR TABLES B1 and B2

All concentrations have been rounded off to the nearest whole number.

- GWQS = Ground Water Quality Standards; N.J.A.C. 7:9-6.
  - 170 = Indicates that the concentration exceeds the GWQS for that compound.
- (170) = Represents concentration from a diluted or a duplicate sample.
  - \* = The given concentration is a total of 1,2 and 1,4-Dichlorobenzenes.
  - ^ = The given concentration is a total of cis- and trans-1,2-Dichloroethenes.
  - Not Detected at the Method Detection Limit.
  - NT = Not Tested
    - J = Estimated Concentration
  - B = Compound was also detected in the Method Blank.
  - \*\* = GWQS not available for this compound; the criteria listed is the interim generic criteria for synthetic organic chemicals lacking evidence of carcinogenicity.
- \*\*\* = Includes the total of concentrations for all the detected targeted compounds.
  - = New Maximum Concentration Limits (MCLs) in accordance with the revision to Safe Drinking Water Act (New Jersey Register: November 18, 1996). NJDEP memorandum dated February 5, 1997 defines these MCLs as the interim specific criteria replacing the promulgated GWQS for these compounds.

Table B1: Volatile Organics Analytical Results and Exceedences for GWQS

Well ID	GWQS		MW-I			1W-2		MW-4			W-6
	(ug/L)	1988	1993	1995	1988	1993	1995	1988	1993	1988	1993
	• •								000000000000000000000000000000000000000		
1,1,1-Trichloroethane	30							3,900	1,600	3,200	130
1,1,2,2-Tetrachloroethane	1~				<b>5</b> J			790 J			-
1,1,2-Trichloroethane	3				50						
1,1-Dichloroethane	50~	31							330		15
1,1-Dichloroethene	2	B							55		
1,2-Dichloroethane	2	34						2,900	590	110,000	1,900
1,2-Dichloropropane	1								<b></b> .		-
1,2-Dichlorobenzene	600		58	NT		2	NT		1,000	660	59
1,3-Dichlorobenzene	600			NT			NT		32		
1,4-Dichlorobenzene	75	!	7	NT		2	NT		110	48	J
2-Chloroethyl Vinyl Ether	100**										1,700
Benzene	1 ]								19		
Bromodichloromethane	1										
Carbon Tetrachloride	2										
Chlorobenzene	50~	120	19	9 J	1 J	4		9,000	560		6,900
Chloroethane	100**									27,000	19
Chloroform	6	13 J			7					1,200	24
Ethylbenzene	700	18 J							24		30
Methylene Chloride	3~	<b>890</b> D			83 B,D			<b>200,000</b> B,D	11,000	74,800	В 900
Tetrachloroethene	1	63			280	9	11	53,000	1,700	13,000	600
Toluene	1,000	140	34	12				3,200	180	4,700	250
cis- 1,2-Dichloroethene	70~		1,360	700		28	10		160		73
trans- 1,2-Dichloroethene	100	5,500			530			12,000	40		
Trichloroethene	1	16 J		9 J	72	2	4 J	18,000	1,800	6,500	280
Vinyl Chloride	5	480		74	34						30
Xylene (Total)	1000~	NT	36	<del></del>	NT			NT	240	NT	45
Total Targeted Volatile		7,305	1,454	803	1,062	47	25	302,790	19,440	240,308	12,955
Organics (ug/L)***											

Table B1: Volatile Organics Analytical Results and Exceedences for GWQS

Well ID	GWQS	MW-			1W-10		MW		MW-14		MW-16	
	(ug/L)	1988	1993	1988	1993	1995	1988	1993	1988	1988	1993	1995
1 1 1 Taialdan atha-	20		390					38				
1,1,1-Trichloroethane	30	570 J	390				8	38				
1,1,2,2-Tetrachloroethane	l~						-					
1,1,2-Trichloroethane	3					'	-	-		- <u>-</u>		
1,1-Dichloroethane	50~	640 J	160				2 J	5	`	7	6	4
1,1-Dichloroethene	2					•-						
1,2-Dichloroethane	2	5,400			76			- 1				]
1,2-Dichloropropane	1											
1,2-Dichlorobenzene	600	220	5,500	22		NT				2 J	3	. NT
1,3-Dichlorobenzene	600	<b>!</b>				NT						NT
1,4-Dichlorobenzene	75	250	390	19		NT						NT
2-Chloroethyl Vinyl Ether	100**											
Benzene	1	1,300	3,600	980	590	660				<b>5</b> J	4	3
Bromodichloromethane	1											
Carbon Tetrachloride	2						2 J					
Chlorobenzene	50~	80,000	69,000	8,300	7,000	5,500	1 J			110	63	57
Chloroethane	100**											
Chloroform	. 6	200 J								4 J		
Ethylbenzene	700		340	22 J			·			3 Ј	4	3
Methylene Chloride	3~	<b>14,000</b> B,D		410 B,D			<b>20</b> B		10 B	12 B		
Tetrachloroethene	1	3,600	8,200				••			4 J		
Toluene	1,000	11,000	5,400							180	10	8
cis- 1,2-Dichloroethene	70~		1,300								32	19
trans- 1,2-Dichloroethene	100	13,000		18 J						120	1	1
Trichloroethene	1	<b>850</b> J	1,300	<b>16</b> J						6		
Vinyl Chloride	5		490							57	45	10
Xylene (Total)	1000~	NT	310	NT			NT		NT	NT	3	3
Total Targeted Volatile		131,030	96,380	9,787	7,666	6,160	32	43	10	509	170	109
Organics (ug/L)***												

Table B1: Volatile Organics Analytical Results and Exceedences for GWQS

Well ID	GWQS	MW			MW-18		MW-		MW		MW-22	MW	
	(ug/L)	1989	1993	1988	1993	1995	1990	1993	1990	1993	1993	1990	1995
1,1,1-Trichloroethane	30		1,700	. <b></b>	-		5 J				2,000		
1,1,2,2-Tetrachloroethane	∥ 1~ ∣		!										
1,1,2-Trichloroethane	3	<u></u>											
1,1-Dichloroethane	50~	1,260	250	150	71			]	27	21	860		
1,1-Dichloroethene	2	690	120										
1,2-Dichloroethane	2	2,100	450	280	820						670		••
1,2-Dichloropropane	1												
1,2-Dichlorobenzene	600	21,000 *	1,200		880	NT	3 J		117	40	2,100	95 J	NT
1,3-Dichlorobenzene	600	310	100		27	NT			31	56		397 J	NT
1,4-Dichlorobenzene	75		170	<b></b>	940	NT			102	200	190		NT
2-Chloroethyl Vinyl Ether	100**												
Benzene	]] 1		15	350	280				14	24			35
Bromodichloromethane				-									
Carbon Tetrachloride	2												
Chlorobenzene	50~	2,300	240	2,600	7,100	4,300			827	2,400	760	55 J	81
Chloroethane	100**										***		
Chloroform	6						4 J						
Ethylbenzene	700	420	15	53	110						240		
Methylene Chloride	3~	610,000	5,800	<b>18,000</b> B,D			17		98		270,000		
Tetrachloroethene	] 1	26,000	2,600	5			119		3		1,200		
Toluene	1,000	7,900	360	240	160			1	9	14	3,100		96
cis- 1,2-Dichloroethene	70~	96,000 ^	35,000		42,000	210,000	NT	<u> </u>	NT	1,900	120,000		19,000
trans- 1,2-Dichloroethene	100	*********	61	710	80		5					2,285	
Trichloroethene	1	77,000	3,860		23		17		4		3,400		
Vinyl Chloride				16,000	28,000	6.000			••	670		1,729	5,200
Xylene (Total)	1000~	NT	140	NT	290				14	30	700	121 J	100
Aylone (10tal)	1000~	141	140	141	270		-		14		700	141 7	100
Total Targeted Volatile		844,920	52,021	38,388	80,781	220,300	170	1	1,246	5,355	405,220	4,682	24,512
Organics (ug/L)***													·

Refer to data qualifying notes provided at the beginning of the Volatile Organics Results section.

**GEO ENGINEERING** 

July 1997

File: 94039\database\gw\GWCOMP.XLS Sheet: GWComp(Shallow)

Table B1: Volatile Organics Analytical Results and Exceedences for GWQS

GWQS		MW-24				MW-26	MW-27		-28	MW-29	MW-30
(ug/L)	1990	1993	1995	1990	1993	1990	1990	1990	1993	1995	1995
30				-		3,169	200000000000000000000000000000000000000	7 J		23	
1~					·		3,824 J		]]		
3					-						
50~				-				44 J		48	
2						000000000000000000000000000000000000000	]				
2		1	••	-		11,990		*-			
1						-					
600			NT	9 J		3.098	7,613 J	10 J	]		
600			NT								
75			NT	12							
100**				-	'		] :				1
1				933	600	1,741		24 J	140		140
1											
2	••				\ '		]				
50~		1	2 J	2,159	2,000	15,700	14,980	418	1,700		140
100**											
6					)	1,110					
700				8 J							
3~	4 J		<b>3</b> J	8 J		106,900	126,000	<b>8</b> J			
1 }				6 J		3,020	219,400			36	
1,000				••							
70~	NT			NT		NT	NT	NT		2,300	12,000
100				19 J	<b>\</b>	122 J	78,850	17 J		••	==
1						999	135,800				
5	'				]					1,100	2,300
1000~					-	-	<b>5,201</b> J			••	<b>a.e</b>
	4	2	5	3,154	2,600	148,306	594,142	528	1,840	3,507	14,580
	(ug/L)  30 1~ 3 50~ 2 2 1 600 600 75 100** 1 1 2 50~ 100** 6 700 3~ 1 1,000 70~ 100 1 5	(ug/L) 1990  30 3 3 50 2 1 600 600 75 100** 1	(ug/L)   1990   1993	(ug/L)   1990   1993   1995	(ug/L)   1990   1993   1995   1990   1990   1993   1995   1990   1990   1993   1995   1990   1990   1990   1990   1990   1990   1990   1990   1995   1990	(ug/L)   1990   1993   1995   1990   1993   1993   1995   1990   1993   1993   1995   1990   1993   1993   1995   1990   1993   1993   1995   1990   1993   1993   1995   1990   1993   1995   1990   1993   1995   1990   1993   1995   1990   1993   1995   1990   1993   1995	(ug/L)   1990   1993   1995   1990   1993	(ug/L)         1990         1993         1995         1990         1993         1990         1990           30              3,169         2,474         J           1-               3,824         J           50-	(ug/L)         1990         1993         1995         1990         1993         1990         1990         1990           30	(ug/L)         1990         1993         1995         1990         1993         1990         1990         1993         1993         1990         1993         1993         1990         1993         1993         1990         1993         1993         1990         1993         1993         1990         1993         1993         1990         1993         1993         1990         1993         1993         1990         1993         1993         1993         1993         1993         1990         1993         <	(ug/L)   1990   1993   1995   1990   1993   1990   1990   1990   1993   1995

Refer to data qualifying notes provided at the beginning of the Volatile Organics Results section.

GEO ENGINEERING

July 1997

File: 94039\database\gw\GWCOMP.XLS Sheet: GWComp(Shallow)

Table B1: Volatile Organics Analytical Results and Exceedences for GWQS

Well ID	GWQS	MW		MW-32	MW-33		W-1	CW-2		V-3	CW-5	CW-6
	(ug/L)	1993	1995	1992	1992	1992	1993	1990	1990	1993	1993	1995
1,1,1-Trichloroethane	30					26	23		1,280	1,200	9,500	
1,1,2,2-Tetrachloroethane	1~									••		
1,1,2-Trichloroethane	3							<b>i</b>	\			
1,1-Dichloroethane	50~	42	;			70	396		525	460	1,200	
1,1-Dichloroethene	2	7					1		454			
1,2-Dichloroethane	. 2					<b>.</b> :	l t	129			1,500	
1,2-Dichloropropane	1	·					<i></i>				•••	
1,2-Dichlorobenzene	600	59	NT	94 J		9	65	40 J	6,581	5,300	5,600	
1,3-Dichlorobenzene	600	10	NT	94 J		9	5	40 J	157	110		
1,4-Dichlorobenzene	75	32	NT	273 J			8	380	3,333	380	740	` <b></b>
2-Chloroethyl Vinyl Ether	100**				'	5				••		
Benzene	1	32	30						23			
Bromodichloromethane	1								88			
Carbon Tetrachloride	2								198			
Chlorobenzene	50~	100	48	188 J			17	46 J	2,310	2,200	3,900	
Chloroethane	100**	••										
Chloroform	6		49		15				24			
Ethylbenzene	700	1	7		***		6		324			
Methylene Chloride	3~			10,040 B	3 J			<b>21</b> JB	14,200	5,600	500,000	620,000
Tetrachloroethene	1		13			46	79		5,650	2,900	39,000	<b>4,400</b> J
Toluene	1,000	13	22	175 J			3	24 J	1,575	510	7,100	5,700
cis- 1,2-Dichloroethene	70~	1	1,800				800		NT	80,000	160,000	56,000
trans- 1,2-Dichloroethene	100	60		292			6		107			
Trichloroethene	1			201 J		34	29	40 J	4,395	1,200	81,000	16,000
Vinyl Chloride	5	34,000	1,200	**			13					
Xylene (Total)	1000~	81	37				36		815	690	2,500	
Total Targeted Volatile Organics (ug/L)***		34,438	3,206	11,357	18	198	1,487	720	42,039	100,550	812,040	702,100

Table B1: Volatile Organics Analytical Results and Exceedences for GWQS

Well ID	GWQS	CW-7	CW-9	CW		CW		CW-12	CW-14	CW-15	CW-19	CW-21
	(ug/L)	1995	1993	1992	1993	1990	1993	1995	1995	1995	1995	1995
1,1,1-Trichloroethane	30					. ==	-			290		<b>[</b>
1,1,2,2-Tetrachloroethane	l~					56				·		
1,1,2-Trichloroethane	3											
1,1-Dichloroethane	50~	<b></b>			2	575	230			330	10	[
1,1-Dichloroethene	2					18			i			
1,2-Dichloroethane	2			••					<u></u> ,			
1,2-Dichloropropane	] 1 ]							, <u></u>				
1,2-Dichlorobenzene	600		57		16	725	570		470	4,600	190	140
1,3-Dichlorobenzene	600				2	25			. 100		35	
1,4-Dichlorobenzene	75				6	113	120		200	310	170	180
2-Chloroethyl Vinyl Ether	100**											
Benzene	1 ]		1,600		78	2,390	960	1,800 J	2,400	340	1,400	1,200
Bromodichloromethane	1		••		••							
Carbon Tetrachloride	2											
Chlorobenzene	50~	370	5,200	881	1,800	2,965	52,000	140,000	17,000	76,000	16,000	11,000
Chloroethane	100**	••			••	175			21			
Chloroform	6											
Ethylbenzene	700	91			4	. 449	610		62	1,400	10	
Methylene Chloride	3~				13	2,315						
Tetrachloroethene	1 1			59 J	2	910		12,000		11,000		]
Toluene	1,000	160			11		6,500	5,700	160	8,100	210	370
cis- 1,2-Dichloroethene	70~		1,200		29	NT	6,900	8,100		22,000	260	6,400
trans- 1,2-Dichloroethene	100											
Trichloroethene	1				8	240		5,200	l	3,100		
Vinyl Chloride	5					6,700	5,500					
Xylene (Total)	1000~	160			4	122	200		43		. 14	
Total Targeted Volatile Organics (ug/L)***		781	8,057	940	1,974	17,778	73,590	172,800	20,456	127,470	18,299	19,290

Table B1: Volatile Organics Analytical Results and Exceedences for GWQS

Well ID	GWQS	RW6-1	RW6		RW6-3	RW7-8
	(ug/L)	1990	1990	1993	1990	1995
1,1,1-Trichloroethane	30	773	1,741			
1,1,2,2-Tetrashloroethane	· 1~		132 J			
1,1,2-Trichloroethane	3		-		**	
1,1-Dichloroethane	50~	400	2,686	1,100		
I,1-Dichloroethene	2	117 J				
1,2-Dichloroethane	2	77,340	188,800	180,000		<b>i</b>
1,2-Dichloropropane	1	2,757	806			
1,2-Dichlorobenzene	600	27,980	2,157	2,500	28,220	
1,3-Dichlorobenzene	600	1,899			590	
1,4-Dichlorobenzene	75	873				
2-Chloroethyl Vinyl Ether	-100**			14,000		
Benzene	1	469	938		392 J	800
Bromodichloromethane	1					
Carbon Tetrachloride	2					
Chlorobenzene	50~	27,980	123,300	110,000	118,300	8,500
Chloroethane	100**					
Chloroform	6	2,543	8,452	2,500		
Ethylbenzene	700	873	1,219	110		
Methylene Chloride	3~	17,400	160,700	250,000	31,160	1,800
Tetrachloroethene	1	2,728	11,480	5,400	52,080	
Toluene	1,000	1,899	2,859	1,900		180 J
cis- 1,2-Dichloroethene	70~		NT			290
trans- 1,2-Dichloroethene	100	138 J	941		13,640	
Trichloroethene	1	202	7,302	10,000	5,641	
Vinyl Chloride	′ 5	226 J	==		••	150 J
Xylene (Total)	1000~					**
Total Targeted Volatile		166,597	513,513	577,510	250,023	11,720
Organics (ug/L)***						<u> </u>

Table B2: Volatile Organics Analytical Results and Exceedences for GWQS

# **DEEP WELLS**

Well ID	GWQS	MW		MW		MW		MW		MW-		MW-		MW-15	MW-19
	(ug/L)	1988	1993	1988	1993	1988	1993	1988	1993	1988	1993	1988	1993	1988	1989
1,1,1-Trichloroethane	30	3 J	1	2 J		3 J	2			2 J		5 J		7	
1,1,2,2-Tetrachloroethane	1~														
1,1,2-Trichloroethane	3											<b>35</b> J			
1,1-Dichloroethane	50~			48	6					2 J		2 J			}
1,1-Dichloroethene	2	**													
1,2-Dichloroethane	2		2	3 J		15	22	2 J	2		2				
1,2-Dichloropropane	1													••	
1,2-Dichlorobenzene	600		180		7	6 J	9	6 J	7		3	12 J			
1,3-Dichlorobenzene	600		6		1	56									
1,4-Dichlorobenzene	75		15	••	3										<b>!</b>
2-Chloroethyl Vinyl Ether	100				• ••										
Benzene	1	<b>7</b> J		10	2			••		<b>2</b> J		••			
Bromodichloromethane	1					6									
Carbon Tetrachloride	2					***									
Chlorobenzene	50~	320	72	61	20		53		25	29	12			4 J	
Chloroethane	100			7 J								'			
Chloroform	6	9 J	**			70		3 J				1 J	1		
Ethylbenzene	700			6		***									
Methylene Chloride	3~	73 B		<b>50</b> B	8	19 B	6	12 B		12 B		19		4 J,B	
Tetrachloroethene	1		25	<b>3</b> J		7	19	9	9		3	4 J	3		4 J
Toluene	1,000	4 J		29		2 J	3		2						
cis- 1,2-Dichloroethene	70~		380		81		7		15		9		15		11 ^
trans- 1,2-Dichloroethene	100	430	3	180		6		5		13		15		1 J	
Trichloroethene	1		11	<b>4</b> J		11	8	12	11	6	2	50	6	9	43
Vinyl Chloride	5	58	23	200	69								2		••
Xylene (Total)	1000~	NT		NT		NT		NT		NT		NT			NT.
Total Targeted Volatile		904	719	603	196	201	128	49	70	66	31	143	26	25	58
Organics (ug/L)					L										<u> </u>

Refer to data qualifying notes provided at the beginning of the Volatile Organics Results section.

**GEO ENGINEERING** 

July 1997

File: 94039\database\gw\GWCOMP.XLS Sheet: GWComp(deep)

Table B3: Comparison of Ground Water Quality for the shallow-deep well clusters for the 1993 Sampling Round

		Clus	ter I	Clus	ter 2	Clus	ter 3	Clust	er 4	Clu	ster 5	Clust	er 6
į.	GWQS	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	MW-10	MW-11	MW-12	MW-13
	(ug/L)	Shallow	Deep	Shallow	Deep	Shallow	Deep	Shallow	Deep	Shallow	Deep	Shallow	Deep
Benzene				19		••	**	3,600		590			
Chlorobenzene	50~	4	72	560	20	6,900	53	69,000	25	7,000	12		
Chloroethane	100*					19							
2-Chloroethyl Vinyl Ether	100*				••	1,700							
Chloroform	6					24							1
1,2-Dichlorobenzene	600	2	180	1,000	7	59	9	5,500	7	••	3		
1,3-Dichlorobenzene	600		6	32	1								
1,4-Dichlorobenzene	75	2	15	110	3			390					7
1,1-Dichloroethane	50~	-		330	6	15		160				-5	
1,2-Dichloroethane	2	!	· 2	590		1,900	22		2	76	· 2		
1,1-Dichloroethene	2			55		••							
cis- 1,2-Dichloroethene	70~	28	380	160	81	73	7	1,300	15		9		15
trans- 1,2-Dichloroethene	100		3	40									
Ethylbenzene	700			24		30		340					
Methylene Chloride	3~			11,000	8	900	6			***			
Tetrachloroethene	1	9	25	1,700		600	19	8,200	9		3		3
Toluene	1000			180		250	3	5,400	2				
1,1,1-Trichloroethane	30		1	1,600		130	2	390				38	
Trichloroethene	1	2	11	1,800		280	8	1,300	11		2		6
Vinyl Chloride	5		23		69	30		490					2
Xylene (Total)	1000~			240		45		310	·				••
Total Targeted Volatile Organics (ug/L)**		47	719	19,440	196	12,955	128	96,380	70	7,666	31	43	26


#### Notes:

**GWQS** 

- = Ground Water Quality Standards; N.J.A.C. 7:9-6.
- = GWQS not available for this compound; the criteria listed is the interim generic criteria for synthetic organic chemicals lacking evidence of carcinogenicity.
- 560
- = Indicates that the concentration exceeds the GWQS for that compound.
- = Includes the total of concentrations for all the detected targeted compounds.
- = Not Detected at the Method Detection Limit.
  - = New Maximum Concentration Limits (MCLs) in accordance with the revision to Safe Drinking Water Act (New Jersey Register: November 18, 1996). NJDEP memorandum dated February 5, 1997 defines these MCLs as the interim specific criteria replacing the promulgated GWQS for these compounds.

GEO ENGINEERING

July 1997



# Attachment C

Polychlorinated biphenyls (PCBs) Results

# Table C1: Exceedences in Ground Water Samples for PCBs

#### SHALLOW WELLS

Well ID	Sample ID	Company	Date	Constituent	Concentration (ug/L)	GWQS
MW-2	536A-MW02-GW01	Environ	8/88	Aroclor 1248	86.0	0.5
	536A-MW02-GW02	Environ	8/88	Aroclor 1248	45.0	0.5
MW23	ENSRMW-2	ENSR	5/95	PCBs	0.6	0.5
MW-25	MW-25	Heritage	11/90	Aroclor 1242	3.0	0.5
MW29	ENSRMW-3	ENSR	5/95	PCBs	6.4	0.5
MW30	ENSRMW-1	ENSR	5/95	PCBs	14.0	0.5
CW-3	E320247	Killam	7/93	Aroclor 1242	22.0	0.5
CW-5	E320248	Killam	7/93	Aroclor 1242	180.0	0.5
	E320248R*	Killam	7/93	Aroclor 1242	100.0	0.5
CW7**	4576A-CW7P/166599	Environ	5/95	Aroclor 1242	2170.0	0.5
CW-11	E320250	Killam	7/93	Aroclor 1242	11.0	0.5
CW-15**	E320251	Killam	7/93	Aroclor 1242	470.0	0.5
CW-19	E320252	Killam	7/93	Aroclor 1242	1.9	0.5

#### Notes:

GWQS = Ground Water Quality Standards, N.J.A.C. 7:9-6

- \* = Refers to filtered samples; filtered and unfiltered ground water samples were collected by Killam in 1993 for 7 wells (CW-3,5,9,11,15,18 and 21) for PCBs analyses.
- \*\* = The well is reported to have had product in it at the time of sampling.

**GEO ENGINEERING** 

July 1997

# Attachment D

Acid Extractables and Base Neutral Organics Results

Table D1: Exceedences in Ground Water Samples for Acid Extractable and Base Neutral Organics

Well ID	Sample ID	Company	Date	Constituent	Concentration (ug/L)	GWQS
MW-6	536A-MW06-GW01	Environ	8/88	Bis(2-ethylhexyl)Phthalate*	39.0	30
	536A-MW06-GW01DL	Environ	8/88	Bis(2-ethylhexyl)Phthalate*	33.0 J	30
MW-8	536A-MW08-GW01	Environ	8/88	2,4-Dimethylphenol	110.0	100
				2-Chlorophenol	73.0	40
				Phenol	6255.8	4000
MW-14	536A-MW14-GW01	Environ	8/88	Bis(2-ethylhexyl)Phthalate*	38.0	30
MW-16	536A-MW16-GW01	Environ	8/88	Bis(2-ethylhexyl)Phthalate*	210.0	30
CW-3	CW-3	Heritage	10/90	2,4-Dichlorophenol	23.0	. 20
				2,4-Dinitrotoluene	268.0	10
				2-Chlorophenol	1091.0	40
				Hexachlorobutadiene	48.0	1
				Hexachloroethane	68.0	10
				2,4,6-Trichlorophenol	99.0	5 (IGC, C)
				2-Methylphenol	27.0	5 (IGC, C)
				2-Nitrophenol	721.0	100 (IGC, NC)
				4-Methylphenol	25.0	5 (IGC, C)
				4-Nitrophenol	1644.0	100 (IGC, NC)
				2-Nitroaniline	713.0	100 (IGC, NC)
				4-Chlorophenyl Phenyl Ether	2348.0	100 (IGC, NC)
				Azobenzene	327.0	5 (IGC, C)
				Benzoic Acid	2120.0	100 (IGC, NC)
CW-11	CW-11	Heritage	10/90	4-Methylphenol	15.0	5 (IGC, C)
				2-Methylnaphthalene	177.0	100 (IGC, NC)
				Benzoic Acid	346.0	100 (IGC, NC)
CW12	4576A-CW12/166604	Environ	5/95	2-Chlorophenol	53.0 J	40
				Benzoic Acid	1800.0	100 (IGC, NC)
	4576A-CW12D/166605	Environ	5/95	2-Chlorophenol	98.0 J	40
STREAM W-1	W-1-40315	PAS	6/85	Bis(2-ethylhexyl)Phthalate*	53.0	30
STREAM W-2	W-2-40314	PAS	6/85	Bis(2-ethylhexyl)Phthalate*	79.0	30

**GEO ENGINEERING** 

July 1997

File: 94039\database\gw\GWREPORT.XLS

# Table D1: Exceedences in Ground Water Samples for Acid Extractable and Base Neutral Organics

#### **DEEP WELLS**

Well ID	Sample ID	Company	Date	Constituent	Concentration (ug/L)	GWQS
MW-7	536A-MW07-GW01	Environ	7/88	Bis(2-ethylhexyl)Phthalate*	39.0	30
MW-9	536A-MW09-GW01	Environ	7/88	Bis(2-ethylhexyl)Phthalate*	32.0	30
MW-13	536A-MW13-GW01	Environ	7/88	Bis(2-ethylhexyl)Phthalate*	49.0	30
	536A-MW13-GW11	Environ	7/88	Bis(2-ethylhexyl)Phthalate*	36.0	30
MW-15	536A-MW15-GW01	Environ	7/88	Bis(2-ethylhexyl)Phthalate*	36.0	30

#### Notes:

GWQS = Ground Water Quality Standards, N.J.A.C. 7:9-6

(IGC,C) = Interim Generic Ground Water Quality Criteria for carcinogenic synthetic organic chemicals.

(IGC,NC) = Interim Generic Ground Water Quality Criteria for non-carcinogenic synthetic organic chemicals.

J = Estimated Concentration.

\* = Bis(2-ethylhexyl)Phthalate was detected in all the ground water samples in 1988. Environ had classified the presence of this compound as "ubiquitous in the environment and sometimes associated with the sampling gloves and/or equipment".

Attachment E

**Metals Results** 

Table E1: Exceedences in Ground Water Samples for Metals

Well ID	Sample ID	Company	Date	Constituent	Concentration (ug/L)	GWQS
MW-I	536A-MW01-GW01	Environ	7/88	Arsenic	12.5	8
MW-2*	536A-MW02-GW01	Environ	8/88	Antimony	495.0	20
				Arsenic	14.5	8
				Beryllium	70.0	20
				Cadmium	34.0	4
				Chromium	615.0	100
		ĺ		Lead	410.0	10
				Mercury	24.9	2
		1		Nickel	752.0	100
MW-6	536A-MW06-GW01	Environ	8/88	Arsenic	10.5	8
MW-8	536A-MW08-GW01	Environ	8/88	Arsenic	16.1	8
		]		Lead	13.6	10
		\		Nickel	175.0	100
MW-10	536A-MW10-GW01	Environ	8/88	Arsenic	11.6	8
				Lead	16.9	10
				Nickel	117.0	100
MW-12	536A-MW12 <b>-</b> GW01	Environ	8/88	Arsenic	11.0	8
				Lead	43.6	10
MW-14	536A-MW14-GW01	Environ	8/88	Antimony	98.0	20
				Arsenic	17.0	8
				Lead	12.7	10
MW-16*	536A-MW16-GW01	Environ	8/88	Antimony	962.0	20
		}		Beryllium	167.0	20
				Cadmium	59.0	• 4
				Chromium	2000.0	100
				Соррег	9040.0	1000
				Lead	1860.0	10
	·			Mercury	47.5	2
	•	1		Nickel	1160.0	100

GEO ENGINEERING

July 1997

File: 94039\database\gw\GWREPORT.XLS

Sheet: Metals

# Table E1: Exceedences in Ground Water Samples for Metals

#### SHALLOW WELLS

			Constituent	Concentration (ug/L)	GWQS
536A-MW18-GW01	Environ	8/88	Antimony	209.0	20
			Arsenic	84.0	8
			Lead	27.5	10
			Nickel	325.0	100
ENSRMW-2	ENSR	5/95	Arsenic	18.1	8
MW-24	Heritage	11/90	Lead	150.0	10
MW-25	Heritage	11/90	Lead	100.0	10
MW-26	Heritage	12/90	Arsenic	21.0	8
	,	•	Nickel	140.0	100
MW-28	Heritage	11/90	Lead	150.0	10
ENSRMW-3	ENSR	5/95	Cadmium	4.1	4
			Thallium	43.1	10
ENSRMW-1	ENSR	5/95	Arsenic	132.0	8
			Cadmium	170.0	4
			Chromium	141.0	100
	1		Lead	108.0	10
			Nickel	297.0	100
ENSRMW-4	ENSR	5/95	Arsenic	12.3	8
· · · · ·	ENSRMW-2 MW-24 MW-25 MW-26 MW-28 ENSRMW-3	ENSRMW-2 ENSR  MW-24 Heritage  MW-25 Heritage  MW-26 Heritage  MW-28 Heritage  ENSRMW-3 ENSR	ENSRMW-2 ENSR 5/95  MW-24 Heritage 11/90  MW-25 Heritage 12/90  MW-26 Heritage 12/90  MW-28 Heritage 11/90  ENSRMW-3 ENSR 5/95  ENSRMW-1 ENSR 5/95	Arsenic Lead Nickel ENSRMW-2 ENSR 5/95 Arsenic MW-24 Heritage 11/90 Lead MW-25 Heritage 11/90 Lead MW-26 Heritage 12/90 Arsenic Nickel MW-28 Heritage 11/90 Lead ENSRMW-3 ENSR 5/95 Cadmium Thallium ENSRMW-1 ENSR 5/95 Arsenic Cadmium Chromium Lead Nickel	Arsenic   R4.0   Lead   27.5     Nickel   325.0     ENSRMW-2   ENSR   5/95   Arsenic   18.1     MW-24   Heritage   11/90   Lead   150.0     MW-25   Heritage   11/90   Lead   100.0     MW-26   Heritage   12/90   Arsenic   21.0     Nickel   140.0     MW-28   Heritage   11/90   Lead   150.0     ENSRMW-3   ENSR   5/95   Cadmium   4.1     Thallium   Thallium   43.1     ENSRMW-1   ENSR   5/95   Arsenic   132.0     Cadmium   170.0     Chromium   141.0     Lead   108.0     Nickel   297.0

#### **DEEP WELLS**

MW-3	536A-MW03-GW01	Environ	8/88	Arsenic	15.6	8
				Lead	10.2	10
MW-7	536A-MW07-GW01	Environ	7/88	Lead	11.3	10

#### Notes:

GWQS = Ground Water Quality Standards, N.J.A.C. 7:9-6

\* = Verification samples were collected in 12/88 for MW-2 and MW-16; these samples did not have exceedence for any metals.

July 1997 PORT XLS

File: 94039\database\gw\GWREPORT.XLS Sheet: Metals

# Attachment F Petroleum Hydrocarbons Results

# Table F1: Total Petroleum Hydrocarbons Results for Ground Water

#### **SHALLOW WELLS**

Well ID	Sample ID	Company	Date	Constituent	Concentration (ug/L)
MW-4	536A-MW04-GW01	Environ	8/1/88	Total Petroleum Hydrocarbons	88600
MW-8	536A-MW08-GW01	Environ	8/1/88	Total Petroleum Hydrocarbons	2300
MW-21	MW-21	Heritage	10/1/90	Total Petroleum Hydrocarbons	3500
MW-23	MW-23	Heritage	11/1/90	Total Petroleum Hydrocarbons	506000
CW-3	CW-3	Heritage	10/1/90	Total Petroleum Hydrocarbons	11900
CW-11	CW-11	Heritage	10/1/90	Total Petroleum Hydrocarbons	. 3330


Notes:

No GWQS is available for TPHs in ground water. Out of the 22 samples analyzed for TPHs, TPHs were detected in the above-listed six samples.

GWQS = Ground Water Quality Standards, N.J.A.C. 7:9-6

# Attachment G

# LNAPL and DNAPL Characteristics



The measurements of thickness of LNAPL layer are in feet

Date 10/3/90					MW-18	MW-23	171 77 -2-7	141 44 -52	MW-26	MW-29	MW-30	P-1	P-2	RW1-1	RW6-1	RW6-3	RW7-4	RW7-5	RW15-1	CW-7	CW-12	CW-15	CW-16
																			·				
			<del>                                     </del>	<u> </u>	† <del></del>							0.10			<u> </u>		<del></del>						
11/10/90				· ,		Trace																	
12/13/90											_	0.08									ĺ		
2/12/91					************						Trace	************	*********				000000000000000000000000000000000000000			00040040400	************		
6/18/91 7/26/91						Trace				Trace										3,15			
8/29/91					-							0.38								2.14		}	
9/17/91					j							0.50								1.89			
10/16/91									,														
3/18/92												Trace	-	-						Trace			
4/9/92					Trace		0.02													0.16			
3/11/93			0.01					0.93			'	-	0.32										
4/7/93 4/27/93													0.68 0.20	-						1.20		į	
5/28/93	 	<b>H+</b>		_ <del>-</del>		-			 :::::::::::::::::::::::::::::::::::			<del></del>	0.20		 				 !	1.76	 	***********	************
7/6/93													0.22							2.39			
8/20/93													0.18						<u></u>	1.84			
9/30/93				,									0.11							0.10			
10/21/93													Trace							0.70			
5/16/94		••	*	**	**	•	•		0.32	**	•		0.03	**			##	++	+	0.10	•		
6/23/94														ŀ							Trace		
7/22/94	-		[						T				~	1				-	[		Trace		
10/5/94 11/9/94									Trace				Trace Trace						-	0.09	ĺ		
12/9/94	-	-											Trace					 		Trace			-
1/9/95														Trace	************					Тгасе		<b>********</b>	**************************************
2/17/95														_	İ					0.04			
3/14/95														Trace						0.02			
4/10/95						**					***		***	Trace	••					Trace	Trace		-
5/10/95		-				Trace			-				Trace		-					Trace	Trace		-
. 6	Trace					Trace							Trace	Trace						0.19	Trace		Trace
7/6/95 8/3/95													Trace	Trace			Trace			Trace Trace	Trace		
H	0.23	Trace											Trace	Trace			Trace	Trace		Trace			
	0.46								<b></b>				Trace		•	Trace	11acc	i i acc		Trace			-
and a second second second second	Тгасе			Trace									**************************************						Тгасе	Тгасе	•••		
11/9/95				Тгасе									Trace				Trace				-		-
12/7/95		<u></u>		Trace									Trace										
1/23/96							••		 						Trace		 :::::::::::::::::::::::::::::::::::						•-
2/21/96	***	##		••					**				Trace	**	**		••		••	**	**		•
3/14/96					1	Trees			_	_			WA WA										
4/17/96 5/15/96						Trace		-					WA		-								
6/13/96										į			WA										-
7/11/96		**	**	****	++	**	**	***	**	***		***	WA		+	••	H	**	**	1.55	***		

GEO ENGINEERING

July 1997

File: 94039\database\gw\PRODHIST.XLS Sheet:LNAPL

	MW-6	MW-8	MW-12	MW-17	MW-18	MW-23	MW-24	MW-25	MW-26	MW-29	MW-30	P-1	P-2	RW1-1	RW6-1	RW6-3	RW7-4	RW7-5	RW15-1	CW-7	CW-12	CW-15	CW-16
Date																							
8/29/96								7-					WA										
9/23/96					[				!				WA										1
10/9/96													WA										-
11/25/96													WA		NA								
12/23/96		***											WA		NA			***			**		
1/14/97									-				WA		NA								
2/4/97				٠	1		İ					}	WA		NA								
3/7/97													WA		NA								
4/28/97													WA		NA			**					
5/15/97		••											WA		NA		**						<b>/**</b>
6/18/97															NA								-
		·			i						_								1				

Notes:

Measurements of LNAPL thickness were made using a product interface meter.

A blank cell indicates that the well was not monitored.

-: Well was monitored but no LNAPL was detected.

Trace: The LNAPL thickness was not sufficient to trigger the interface probe but visual observation of the probe indicated LNAPL in the well.

NA: Well not accessible

WA: Well was sealed in March 1996

Sheet:LNAPL

TABLE G2: LNAPL RECOVERY DATA

RECOVERY	DATE	MW-6	MW-8	MW-23	RWI-I	RW 6-1	RW7-4	RW7-5	CW-7	CW-12	CW-15	CW-16	MW-17	RW 15-1	TOTAL VOL
ROUND	DATE	(LNAPL)	(LNAPL)	(LNAPL)	(LNAPL)	(LNAPL)	(LNAPL)	(LNAPL)	(LNAPL)	(LNAPL)	(LNAPL)	(LNAPL)	(LNAPL)	(LNAPL)	RECOV/
		(22)		(=::::::)	(211.2)	(=::::2)	(37.11.17)	(=1)	(22)	(5 1. 2)	(=: :: =: ,	(2)	(22)	(2	ROUND
Approximatel	y 190 gallons of LNA	PL had been	collected from	n Septembe	r 1990 unti	October 1	93.							<u> </u>	
l ''	i i	1	1	) .	,		1	1	ì .		)		1	1 1	
1	10/20/94		ŀ						<0.1						<0.1
2	10/27/94								<0.1						<0.1
3	11/3/94		·						<0.1				ł		<0.1
4	11/8/94								<0.1				ļ		<0.1
5	11/22/94								<01						<0.1
6	12/7/94							*****************	<0.1	**********************	:	0.0000000000000000000000000000000000000			<0.1
7	12/21/94		3						<0.1					<b>i</b>	<0.1
<sup>-</sup> 8	1/6/95								<0.1						<0.1
9	1/16/95			]					<0.1		· ·		1		<0.1
‡0	1/30/95								<0.1						<b>&lt;0,1</b>
11	2/17/95				********	**************		******************************	<0.1	****************	0.0000000000000000000000000000000000000		****************		<0.1
12	2/27/95								<0.1						<0.1
13	3/14/95								<0.1		ļ			1	<0.1
14	3/28/95								<0.1						<0.1
15	4/10/95								<0.1						<0.1
16	4/26/95						******************************	***************************************	<0.1		•				<0.1
17	5/10/95				•				<0.1						<0.1
18	5/22/95								<0.1						<0.1
19	6/6/95								<0.1						<0.1
20	6/20/95								<0.1						<0.1
21	6/28/95								0.4						0.4
22	7/5/95	P/NI	'						<0.1				1		<0.1
23	7/12/95			P/NI	P/NI				<0.1	P/NI	i	P/NI			<0.1
24	7/20/95	0.2							<0.1						0.2
25	7/26/95	0.2		-	-				<0.1	-		-			0.2
26	8/2/95	0.2		-					0.1		ļ			ļ	0.3
27	8/10/95	0.8					P/NI		0.2						1.0
28	8/17/95	0.2		••			~-		0.1						0.3
29	8/23/95	0.2	P/NI		 (300000000000000000000000000000000000					<0.1	20200200000000000000000000000000000000		000000000000000000000000000000000000000	100000000000000000000000000000000000000	0.2
30 31	<b>8/31/95</b> 9/1/95	<b>0,5</b> 0.5				PANI		P/NI 	<b>40</b> 1		P/NI				0, <b>5</b> 0.5
32	9/5/95	0.5	<b></b>	<u></u>		-	_	<u></u>					ĺ	) 1	0.5
33	9/6/95-9/7/95	0.3				_			-						0.3
33 34	9/13/95-9/15/95	1.5				-									1.5
35	9/13/93-9/13/93	0.8	 +	#			 9 <b>-</b>	**	≪01			•			0.8
36	9/26/95	0.5													0.5
37	10/5/95	0.2					<i></i>		<0.1						0.3
38	10/10/95-10/12/95	0.1											P/NI		0.1
39	10/18/95	0.1												P/NI	0.1
40	10/27/95	<0.1	**	****	**************************************		*	**	<0.1		**	44	**	***	<0.1

GEO ENGINEERING

July 1997

File: 94039\database\gw\PRODHIST.XLS Sheet:LNAPL Collection

TABLE G2: LNAPL RECOVERY DATA

RECOVERY ROUND	DATE	MW-6 (LNAPL)	MW-8 (LNAPL)	MW-23 (LNAPL)	RW1-I (LNAPL)	RW 6-1 (LNAPL)	RW7-4 (LNAPL)	RW7-5 (LNAPL)	CW-7 (LNAPL)	CW-12 (LNAPL)	CW-15 (LNAPL)	CW-16 (LNAPL)	MW-17 (LNAPL)	RW 15-1 (LNAPL)	TOTAL VOL RECOV/
	100 - 11 - 61 N/4		11 . 16		1000	0	202								ROUND
Approximatel	y 190 gallons of LNA	APL nad been (	conected from	n Septembe	r 1990 untii	October 1	993. I	<b>!</b>	l I				I		, , , ,
41	11/2/95	<0.1													<0.1
42	11/9/95	<0.1				••									<0.1
43	11/16/95												••		0,0
44	11/22/95														0,0
45	11/30/95	_	-	-	-	-	-	-		-	-	••	-		0.0
46	12/7/95			••		-						**			0.0
47	12/15/95														0.0
48	12/19/95										-				0.0
49	12/29/95														0.0
50	1/4/96	-	-		-	-		•	-	-	•	1	-		0.0
51	1/17/96									-					0.0
52	1/23/96														0.0
53	2/2/96														0.0
54	2/13/96				***	 *************		 •••••••		**					0.0
35	2/21/96	*	•	++	•	**	**	*	+	++	**	44	**	••	0.0
56	2/29/96				-		••			-					0.0
57	3/14/96														0.0
58	3/19/96														0.0 0.0
59 <b>60</b>	3/26/96 4/17/96		<b></b>	-		 		-	<del></del>	 <del></del>					0.0
61	5/15/96	•				••			· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·				0,0
62	6/13/96									_			}		0.0
63	7/11/96												l		0.0
64	7/19/96								0.1			•			0.1
65	7/25/96								-						00
66	8/2/96		*********************			baraasaasaasaasaasa 						200000000000000000000000000000000000000			0.0
67	8/9/96														0.0 T
68	8/16/96								0.3						0.3
69	8/21/96								0.1						0.1
70	8/29/96		-	-		-			••	-		•		-	0.0
71	9/6/96														0.0
72	9/12/96														0.0
73	9/20/96	ļ					,						}	l	0.0
74	9/23/96			0.0000000000000000000000000000000000000				 	 (*****************	-		**			0.0
75	10/9/96	**	**	•		100000000000000000000000000000000000000		-+	**	*		**			0.0
76	11/25/96					NA NA				-					0.0
77	12/23/96					NA NA	*-								0.0
78	1/14/97		<b></b> .			NA NA			-			••			0.0 0.0
79	2/4/97	•-		************		NA NA	 	***************************************	••			 :::::::::::::::::::::::::::::::::::			0.0
80	3/7/97														v.v

GEO ENGINEERING

July 1997

File: 94039\database\gw\PRODHIST.XLS Sheet:LNAPL Collection

RECOVERY ROUND	DATE	MW-6 (LNAPL)	MW-8 (LNAPL)	MW-23 (LNAPL)	RW1-1 (LNAPL)	RW 6-1 (LNAPL)	RW7-4 (LNAPL)	RW7-5 (LNAPL)	CW-7 (LNAPL)	CW-12 (LNAPL)	CW-15 (LNAPL)	CW-16 (LNAPL)		RW 15-1 (LNAPL)	TOTAL VOL RECOV/ ROUND
Approximatel	y 190 gallons of LNA	APL had been o	collected fror	n Septembe	r 1990 until	October 1	993.		<u> </u>						
81 82 83	4/28/97 5/15/97 6/18/97	  	 		 	NA NA NA	  		  	  		  			0.0 0.0 0.0
1	IL VOLUME COVERED	6.7	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	8.0

### Notes:

All quantities are rounded to the nearest 0.1 gallons.

For product recovery purposes, quantities greater than 0.1 gallons (approx. 1 cup) are considered to be measurable. Quantities less than 1 cup are defined as

"<0.1" and are not included in totals. It is not practicable to separate product from mixture of water and product when quantity is les than 1 cup.

A blank cell indicates that the well was not monitored.

--: Well was monitored but did not indicate recoverable amount of LNAPL

P/NI: Absorbent pad installed on this date for LNAPL recovery from the well.

NA: Well not accessible.

TABLE G3: LNAPL ANALYSES

Sample From:		Unknown	LNAPL	CW-7
	CW-7 LNAPL	LNAPL	Composite	LNAPL
Date:	Jun-91	Oct-91	Jan-96	May-96
Parameters	ug/L	ug/Kg	ug/Kg	ug/Kg
Targeted Volatile Organics				
Dichloromethane		36,000		
Ethylbenzene				***
Tetrachloroethene		420,000		
Toluene	346,256	40,000	2,000,000	96,000
Chlorobenzene			1,000,000	260,000
Ethylbenzene		49,000	120,000	150,000
Xylenes (Total)	_ <del></del>	'	1,200,000	300,000
Methylene Chloride	340,295			
Non-Targeted Volatile Organics				
Trimethylbenzene Isomer			32,800,000	
Ethylmethylbenzene Isomer			33,000,000	
C10H14 Aromatic			17,400,000	
Ethyldimethylbenzene Isomer			16,700,000	
C9H18 Cycloalkane		!	9,400,000	
PCBs				
Aroclor 1242	16,252	120,000		2,170,000
				(ug/L)
				(-8)

Notes:

-- = Not Detected at the Method Detection Limit.

GEO ENGINEERING

July 1997

File: 94039\database\gw\NAPLDATA.XLS

Sheet: LNAPL

Table G4: DNAPL Measurements.

The measurements of thickness of DNAPL layer are in feet

Date	RW7-I	RW7-2	RW7-3	RW7-4	RW7-5	RW6-1	MW-6	MW-8	MW-26	MW-27	CW-12	CW-15	CW-16	PB-2
8/28/90	5.00	Trace	Trace	4.00	4.50					Trace		Trace	Trace	
6/7/91			Trace	2.50			0.20	0.50		Trace				
8/6/91				0.73			1.20	1.58						
9/25/91					4.17									
9/26/91					3,90									
9/27/91					3.73									
9/28/91					3.57			,						
10/3/91				  -	3.40								}	
10/10/91					3.35									
10/15/91	-			0.95			1.23	1.56						
10/21/91	•			0.75			0.38	0.49						
10/28/91														
3/18/92				0.33			1.44	0.65						
3/11/93			••				1.30	1.42					2.45	
4/7/93				**		Trace	1.30	1.42		•••				
7/6/93							1.14	1.49					2.49	
8/20/93	1					Trace	1.49	1.47					2.50	
9/30/93							1.28							
10/21/93							1.28							
5/17/94	••		**	**			Trace	0.58					0.83	
6/23/94		,					0.92	0.60					0.91	
7/22/94				0.44		_	0.96	0.67					0.91	
10/5/94	0.16			0.56		Trace	0.92	0.40	1.40				0.79	
11/9/94	0.11			Trace		0.08	Trace	Trace			0.32		Тгасе	***************************************
12/9/94	Trace			Trace		Trace	0.18	Trace			Trace		_ <b></b>	
1/9/95	0.21			Trace			0.14	Trace	Trace		Trace		Тгасе	
2/17/95	0.12			Trace			0.11	Trace	0.23		_		-	
3/14/95	0.14			Trace	_		0.05	Trace	Trace		Trace		Trace	
4/10/95	Trace			0.44	Trace	0.22	Trace	Trace	0.24		0.18	****************	Trace	
5/10/95	Trace			Trace		••	Trace	Trace	_ <b></b>		Trace			
6/6/95	0.20			Тгасе	Trace	_	Trace	Trace	Trace		Trace		Trace	
7/6/95	Trace			Trace	Trace	Trace		Trace	Trace		Trace		Trace	'
8/10/95	Trace		-	Trace		Trace		Trace	0.60		Trace		Trace	
8/31/95	Ттасе	***************************************		Trace		Trace	Trace	Trace	0.21	(2000)	Trace	0.58	Ттасе	
9/15/95	Trace			Trace	••	Trace	-	Trace	Trace		Trace	_	Trace	
10/10/95	Trace			Trace		Trace	1.06	Trace	Trace		Trace	Trace	Trace	
11/9/95	0.21			Trace		Trace	0.42	Тгасе			Trace	Trace	Trace	
12/7/95				Trace		Trace	Trace	Trace			Trace		Trace	
1/23/96		••				Trace	0.85				Trace		Trace	
2/21/96	Trace	<b>I</b>		Trace		Trace	Trace	Trace			Trace		Trace	

Hexcel Facility Lodi, New Jersey GEO ENGINEERING

July 1997
File: 94039\database\gw\PRODHIST.XLS
Sheet:DNAPL

Table G4: DNAPL Measurements.

The measurements of thickness of DNAPL layer are in feet

	RW7-1	RW7-2	RW7-3	RW7-4	RW7-5	RW6-1	MW-6	MW-8	MW-26	MW-27	CW-12	CW-15	CW-16	PB-2
Date														
3/14/96	Trace			Trace		Тгасе	Trace	Trace			Trace		Trace	
4/17/96	Trace			Trace		Trace	0.87				Trace	ļ	0.19	
5/15/96	Тгасе			Trace	1	Trace	Trace	Trace			Trace		Trace	0.34
6/13/96	Trace			Trace		Trace	0.44	Trace			Trace		Trace	0.34
7/11/96	Trace	_	-	Trace		Trace	Trace	Trace		**	Trace		Trace	
8/29/96	Trace		400000000000000000000000000000000000000	Trace	***************************************	Trace	Trace	Trace	******************		Trace	***************************************		Trace
9/23/96	Trace			Trace		Trace	Trace	Trace			Trace		Trace	Trace
10/9/96				Trace	Trace	Trace	Trace	Trace			Trace		Trace	Trace
11/25/96	Trace			Trace		NA	0.61	Trace			Trace		Trace	Trace
12/23/96	Trace			Trace	**	NA	Trace	Trace			Trace		Trace	Trace
1/14/97	••			Trace		NA	0.13				0.15		0.18	0.48
2/4/97	Trace			Trace		NA	0.49	Trace			Trace		0.13	0.44
3/7/97				Trace		NA	Trace	Trace			Trace		Trace	0.22
4/28/97						NA	Trace	Trace			Trace			
5/15/97	••			Trace		NA	0.17	Trace			Trace		Trace	-
6/18/97				Trace		NA	0.19	Trace		*******************	Тгасе		Trace	
				٠,						,				

Notes: Measurements of DNAPL thickness were made using a product interface meter.

A blank cell indicates that well was not monitored.

--: Not Detected

Trace: The DNAPL thickness was not sufficient to trigger the interface probe but visual observation of the probe indicated DNAPL in the well.

NA: Well not accessible

Sheet:DNAPL

RECOVERY	DATE	MW-6	MW-8	MW-26	RW6-1	RW7-1	RW7-4	RW7-5	CW-12	CW-15	CW-16	PB-2	TOTAL VOL
ROUND		(DNAPL)	(DNAPL)	(DNAPL)	(DNAPL)	(DNAPL)	(DNAPL)	(DNAPL)	(DNAPL)	(DNAPL)	(DNAPL)	(DNAPL)	RECOV/ ROUND
Refer to notes	s for recovery data for	DNAPL prior t	o October 199	94.					<u></u>				KOOND
1	10/20/94	0.4	0.5	0.1			<0.1				0.1	ļ	1.1
2	10/27/94	0.1	0.4	<0.1							0.1		0.6
3	11/3/94	0.4	0.1				<0.1				<0.1		0.5
4	11/8/94	0.4	<0.1				<0.1						0.4
3	11/22/94	0.1	<01				-		0.4		•		0.5
6	12/7/94	1.2		}					0.2				1.4
7	12/21/94	0.5							<0.1			1	0.5
8	1/6/95	0.2											0.2
9	1/16/95	0.2				<0.1							0.2
10	1/30/95	0.4											0.4
11	2/17/95	0.2		<0.1		<0.1							0.2
12	2/27/95	0.1		<0.1		ĺ							0.1
13	3/14/95	0.2				<0.1							0.2
14	3/20/95	0.1				}							0.1
15	3/28/95	0,1											0.1
16	4/10/95	0.2		<0.1	<0.1		<0.1		<0.1				0.2
17	4/26/95	0.8											0.8
18	4/28/95	0.1				Į :							0.1
19	5/1/95	0.1									•		0.1
20	5/10/95	0.1											0.1
21	5/22/95	0.2								,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			0.2
22	6/6/95	0.1				<0.1							0.1
23	6/20/95	0.1									0.1	Instld 6/13/95	
24	6/28/95	0.1									<0.1	0.1	0.2
25	7/5/95	0.1											0.1
26	7/12/95	0.1										0.2	0.3
27	7/20/95	0.1										0.2	0.3
28	7/26/95	0.1										0.1	0.2
29	8/2/95	0.1				[						0.1	0.2
30	8/10/95	0.1		0,1								0,1	0.3
31	8/17/95	0.1		<0.1								0.1	0.2
32	8/23/95	<0.1	<0.1	0.1	0.1	0.1	<0.1		0.1		<0.1	0.1	0.5
- 33	8/30/95									0.5			0.5
34	8/31/95	0.1	<0.1	0.1	<0.1	0.1	<0.1		<0.1	<0.1	<0.1	<0.1	0.3
35	9/6/95	0.1	<0.1	<0.1	401	<01	<01		<01	<0:	Ø.i	0.1	0.2
36	9/13/95	<0.1	<0.1	<0.1		<0.1	<0.1		<0.1	0.2	<0.1	0.1	0.3
37	9/20/95			<0.1		<0.1				<0.1		0.1	0.1

GEO ENGINEERING

July 1997 File: 94039\database\gw\PRODHIST.XLS Sheet: DNAPL Collection

## TABLE G5: DNAPL RECOVERY DATA

All Quantities Expressed in Gallons

RECOVERY	DATE	MW-6	MW-8	MW-26	RW6-1	RW7-1	RW7-4	RW7-5	CW-12	CW-15	CW-16	PB-2	TOTAL VOL
ROUND		(DNAPL)	(DNAPL)	(DNAPL)	(DNAPL)	(DNAPL)	(DNAPL)	(DNAPL)	(DNAPL)	(DNAPL)	(DNAPL)	(DNAPL)	RECOV/
		(,						,	(21111)		(	(====,	ROUND
38	9/26/95	<0.1										<0.1	<0.1
39	10/5/95	0.2										0.1	0.3
40	10/10/95	11										0.1	12
41	10/18/95	0.5				<b>,</b>	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			0.1		0.1	0.7
42	10/27/95	0.2								<0.1		0.1	0.3
43	11/2/95	, 0.6											0.6
44	11/9/95	0.5	<0.1			0.1				<0.1		0.1	0.7
45	11/16/95	0.5				<0.1						0.1	0.6
46	11/22/95	0.5										0.1	0.6
47	11/30/95					<0.1							<0.1
48	12/7/95	0.1									0.1	0.1	0.3
49	12/15/95										<0.1	0.1	0.1
50	12/19/95										-	0.1	01
51	12/29/95							ļ.				0.1	0.1
52	1/4/96											0.1	0.1
53	1/17/96									i i			0.0
54	1/23/96			**									0.0
55	2/2/96	0.6											0.6
56	2/13/96								1				0.0
57	2/21/96					-				ļ		,	0.0
58	2/29/96											0.2	0.2
59	3/14/96			55.0.002.000.0000000000		 						0.1	0.1
60	3/19/96	+										0.1	0.1
61	3/26/96		1					]	]			0.2	0.2
62	4/3/96	0.1							]			0.1	0.2
63	4/12/96	<0.1		:						i		0.1	0.1
64	4/17/96	0.5		<b></b>							0.1		0.5
65	4/25/96	02 01									************	0.1	0.4
66 67	5/2/96 5/10/96	0.1 <sub>.</sub>						Ì	1		<0.1	0.1 0.1	0.2 0.1
68	5/15/96											0.1	0.1
69	5/21/96											0.1	0.1
70	5/31/96	-										0.1	0,1
71	6/13/96	0.1										0.1	0.2
72	6/20/96	0.1						-					0.1
73	6/26/96		İ										0.0
74 75	7/3/96 7/11/96		44		##		-		+-		**		0.0 0.0
76	7/19/96	0.4							<0.1				0.4
77	7/25/96		l	<u> </u>									0.0

GEO ENGINEERING

July 1997

File: 94039\database\gw\PRODHIST.XLS Sheet:DNAPL Collection

RECOVERY ROUND 78	DATE 8/2/96	MW-6 (DNAPL)	MW-8 (DNAPL)	MW-26 (DNAPL)	RW6-1 (DNAPL)	RW7-1 (DNAPL)	RW7-4 (DNAPL)	RW7-5 (DNAPL)	CW-12 (DNAPL)	CW-15 (DNAPL)	CW-16 (DNAPL)	PB-2 (DNAPL)	TOTAL VO
79	8/9/96	0.2											ROUND
<b>8</b> 0 81	8/16/96						***************************************					0.1	0.2 0.1
82	8/21/96 8/29/96		{									0.1 ***	0.0
83	9/6/96		-	1	••						••	==	0.0
84	9/12/96			1 1									0.0 0.0
85 %	9/20/96	-						KONTON AND AND AND AND AND AND AND AND AND AN			(	**	0.0
86 87	9/23/96											•	00
88	10/9/96		. <del></del>								••		0.0
89	11/25/96 12/6/96	0.5	·		NA					-			0.0
90	12/13/96	1.1	***************************************		1		_						0.5
91	12/20/96	0,7									****		1.1
92	12/23/96	0.3	1										07
93	1/3/97				NA			.				1	0.3
94	1/9/97		Į.			1			_				0.0
95	1/14/97	•					j			į	1		0.0
96	1/22/97	•	***	-	NA	-	-					***************************************	0.0
97	1/31/97	0.2		-	ļ			******************			•	-	00
98	2/4/97	•		ì		1	1				0.2	*	0.0
-99	2/7/97	0.5			NA			1		1	*	- 1	0.4
100	2/13/97	0.3						İ		1		, }	0.0
101	2/19/97	0.3											0.5
102	2/28/97		l	İ		1				***************************************			03
103	3/7/97			1	NA	1.	1	1	{		{	<b></b>	0.3 0.0
104	3/11/97				NA								0.0
105	3/17/97	0.1						~~~~					0.0
106	3/26/97		***************************************										0.0
107	4/10/97	0.2			1								0.0
108	4/16/97				1								0.0
109	4/24/97	0.2	1	[	1							Ŋ	0.0
110	4/28/97	•	**	•	NA .	**							0.2
111 112	5/5/97			····				•	**		**		0.0
113	5/15/97	0.1											0.0
113	5/21/97	(·			1								0.1
114	5/30/97				1				-		1		0.0
											1		0.0

GEO ENGINEERING

July 1997

File: 94039\database\gw\PRODHIST.XLS Sheet:DNAPL Collection

TABLE G5: DNAPL RECOVERY DATA

RECOVERY ROUND	DATE	MW-6 (DNAPL)	MW-8 (DNAPL)	MW-26 (DNAPL)	RW6-1 (DNAPL)	RW7-1 (DNAPL)	RW7-4 (DNAPL)	RW7-5 (DNAPL)	CW-12 (DNAPL)	CW-15 (DNAPL)	CW-16 (DNAPL)	PB-2 (DNAPL)	TOTAL VOL RECOV/ ROUND
115 116 117 116	6/4/97 6/10/97 6/18/97 6/26/97	  0.1	 		NA NA	<del></del> 	 		 		  	#  	0.0 0.0 0.0 0.1
1	AL VOLUME COVERED	18.4	1.0	0.4	0.1	0.3	0.0	0.0	0.7	0.8	0.7	4.1	26.5

#### Notes:

All quantities are rounded to the nearest 0.1 gallons.

For product recovery purposes, quantities greater than 0.1 gallons (approx. 1 cup) are considered to be measurable. Quantities less than 1 cup are defined as

"<0.1" and are not included in totals. It is not practicable to separate product from mixture of water and product when quantity is les than 1 cup.

A blank cell indicates that the well was not monitored.

--: Well was monitored but did not indicate recoverable amount of DNAPL

NA: Well not accessible.

\*: Product recovery could not be performed due to pump-malfunction.

Recovery of DNAPL prior to October 1994 is summarized in the table below

Cumulative Total DNAPL	From Sept. 1990	
recovered (gallons)	Until	
1000	Feb91	
1200	Jul91	
1270	Арг92	
1275	May-92	
1285	Aug92	
1290	Oct92	
1300	Aug93	
1310	Oct93	

TABLE G6: DNAPL ANALYSES

Date:	8/1/88	11/3/94	2/13/96
Sample From:	DNAPL in MW-6	DNAPL in MW-26	H-7 (DNAPL Collection Tank)
Parameters	ug/L	ug/Kg	ug/Kg
Targeted Volatile Organics Methylene Chloride	16,000,000 B	13,000,000	4,000,000
Chloroform	610,000	15,000,000	4,000,000
1,1,1-Trichloroethane Carbon Tetrachloride	5,100,000 930,000	24,000,000	4,800,000
Toluene	5,900,000	6,800,000	8,300,000
Tetrachloroethene	47,000,000	140,000,000	81,000,000
Chlorobenzene	50,000,000	99,000,000	79,000,000
Ethylbenzene	330,000		490,000 J
1,2-Dichlorobenzene	660	1,900,000	25,000,000 *
1,1,2-Trichloroethane	220,000	<u></u>	٠- ۲
1,1-Dichloroethene	160,000		
1,2-Dichloroethane	38,000,000		11,000,000
Trichloroethene	9,300,000		10,000,000
1,1,2,2-Tetrachloroethane	760,000		
cis-1,2-Dichloroethene			310,000 J
Xylene (Total)			840,000
Non-Targeted Volatile Organics Unknown Alkane (2-bromoethyl) Benzene		4,700,000	240,000,000
PCBs Aroclor 1242			9,100,000
·			

### Notes:

B = Compound also detected in the Method Blank

J = Estimated Concentration

-- = Not Detected at Method Detection Limit

\* = Detected as Non-Targeted Volatile Organic Compound

**GEO ENGINEERING** 


July 1997


File: 94039\database\gw\NAPLDATA.XLS

Sheet: DNAPL


Attachment H


Hydrogeology








Cross-Section Locations











FILE: SECTC-C 94039

Legend

FILL (LOOSE & HETEROGENEOUS)

FLUVIAL DEPOSITS (FINE GRAINED)

FLUVIAL DEPOSITS (COARSE GRAINED)

LAKE OR SLOW MOVING WATER DEPOSITS (SILT WITH TRACE CLAY)

### NOTES:

- 1. REFER TO THE REPORT FOR DISCUSSION OF THE MATERIALS.
- 2. REFER TO FIGURE H3 FOR CROSS-SECTION LOCATION.

Figure H6
SECTION C-C'